


LEGENDA	
	Beton gewapend
	Beton ongewapend
	Bovenrand onafgewerkte niveau
	Snee 1 Snijlijn
	0XX Sondering 0XX

Fundatie:	Nummer:
Electrolyser Building ++A00UNR01	035230TH-000-CTA010-0012
Building for Water Systems ++A00UUA01	035230TH-000-CTA010-0013
Electrical and Control Building ++A00UBB01	035230TH-000-CTA010-0014
Electrical Building Electrolyser ++A00UBA01	035230TH-000-CTA010-0015
Compressor Building ++A00UNT02	035230TH-000-CTA010-0017


**Drawing legende**  
 Frost-proof material is to be installed to a depth of 0.8 m if the foundations are not embedded deeper than 0.8 m.

**Building materials**  
 Concrete C30/37  
 Reinforcement B500  
 Werkvloer C12/15

Referentie tekeningen			
Naam	Nummer	Revisie datum	Revisie
Electrolyser Building (architecture drawing)	035230TH-000-CTA010-0012 035230TH-000-CTA010-0001 035230TH-000-CTA010-0002	2023.04.26	-C
Building for Water Systems (architecture drawing)	035230TH-000-CTA010-0014 035230TH-000-CTA010-0006	2023.04.26	-C
Electrical and Control Building (architecture drawing)	035230TH-000-CTA010-0014 035230TH-000-CTA010-0004	2023.04.26	-D
Electrical Building Electrolyser (architecture drawing)	035230TH-000-CTA010-0015 035230TH-000-CTA010-0003	2023.04.26	-D
Compressor Building (architecture drawing)	035230TH-000-CTA010-0017 035230TH-000-CTA010-0005	2023.04.26	-B



Ground level existing powerplant	= 4.70m	+ NAP	= EL. +0.00m
Ground level Eemshydrogen	= 5.30m	+ NAP	= EL. +0.60m
Site finished grade Eemshydrogen	= 5.10m	+ NAP	= EL. +0.40m



Planner:	Getekend van:	Opsteller plan-T.nr.:
HOCHTIEF	Hernde	Revisie datum 2023.04.26

RWE Technology International GmbH		Ernestinestr. 60, 45141 Essen	
get:	datum:	Naam:	omschrijving:
get: 2023.02.05	2023.02.05	Hernde	Eemsh2 Unit A
get: 2023.02.05	2023.02.05	Mabum	Overview Foundations
get: 2023.02.05	2023.02.05	Zimmer	Building Foundations

Tekening nummer:			
035230TH-000-CTA010-0011			
schaal:	formaat:	afkijkgaten-nr.:	opgeteld (-):
1:150	A0		
get:	datum:	afkijkgaten-nr.:	naam bestand:
get: 2023.02.05	2023.02.05		
get:	datum:	afkijkgaten-nr.:	naam bestand:
get: 2023.02.05	2023.02.05		
get:	datum:	afkijkgaten-nr.:	naam bestand:
get: 2023.02.05	2023.02.05		

revisie	datum	geleend	gecontroleerd	afgegeven	omschrijving
D	2023.04.26	Heinrichs	Mabum	Zimmer	Overall Update (Comments 17.04.2023)
C	2023.04.06	Heinrichs	Mabum	Zimmer	Overall Update (Protocol No 1 RWE 29.03.2023)
B	2023.03.21	Heinrichs	Mabum	Zimmer	Overall Update (Protocol No 1 RWE 21.02.2023)
A	2023.02.05	Heinrichs	Mabum	Zimmer	First issue